

A.C.C. ALLNET SOLUTIONS LTD.

Nicosia Offices : 26A Kikkou str , Strovolos , 2062 , Nicosia , P.O.Box :19777 CY-2571
 Fax:22008033
 Limassol Offices :Golgon 37, Lordos Salonika Court , Block A, Shop 17 3026 Limassol
 Fax:25001386 -email: sales@accallnet.com web: www.accallnet.com



Q1 2016 Grandstream Price List

| Model | Description | RETAIL | Warranty |
|---|--|----------|----------|
| IP Voice Telephony | | | |
|  | <p>GXP1610 Small-Medium Business IP Phone</p> <p>Single SIP account, up to 2 call appearances, 3 XML programmable context-sensitive soft keys, 3-way conference, multi-language support.</p> <p>Full-duplex hands-free speakerphone with advanced acoustic echo cancellation, Electronic Hook Switch (EHS) with Plantronics headsets.</p> | € 48.46 | 2 Year |
|  | <p>GXP1625 Small-Medium Business HD IP Phone</p> <p>132*48 pixel backlit graphical LCD display.</p> <p>2 dual-color line keys (with 2 SIP accounts and up to 2 call appearances), 3 XML programmable context-sensitive soft keys, 3-way conference.</p> <p>HD wideband audio, PoE Port ,superb full-duplex hands-free speakerphone with advanced acoustic echo cancellation and excellent double-talk performance.</p> | € 56.00 | 2 Year |
|  | <p>GXP1628 Small-Medium Business HD IP Phone</p> <p>132 x 48 backlit LCD display.</p> <p>2 dual-color line keys (with 2 SIP accounts and up to 2 call appearances), 3 XML programmable context-sensitive soft keys, 8 BLF keys, 3-way conference, multi-language support.</p> <p>Dual-switched Gigabit network ports, integrated PoE, HD wideband audio, full-duplex hands-free speakerphone with advanced acoustic echo cancellation, Electronic Hook Switch (EHS) with Plantronics headsets.</p> | € 80.00 | 2 Year |
|  | <p>GXP1630 Small Business Gigabit HD IP Phone</p> <p>3 SIP accounts, 3 line keys, 4-way conferencing, 3 XML programmable context-sensitive soft keys.</p> <p>HD audio on speakerphone and handset.</p> <p>Dual-switched Gigabit ports, integrated PoE.</p> <p>8 dual-colored BLF/speed dial keys.</p> <p>EHS support for Plantronics headsets.</p> <p>Up to 500 contacts, call history up to 200 records.</p> | € 102.00 | 2 Year |
|  | <p>GXP2130 v2 Enterprise HD IP Phone</p> <p>3 dual-color line keys (with 3 SIP accounts). 4 programmable context sensitive soft keys. Up to 4-way conferencing, and 8 dual-color BLF extension keys.</p> <p>320x240 TFT color LCD.</p> <p>Dual switched auto-sensing, Gigabit network ports, PoE, EHS (Electronic Hook-Switch) with Plantronics headsets.</p> <p>Automated provisioning using TR-069 or AES encrypted XML configuration file, TLS/SRTP/HTTPS, for advanced security and privacy protection.</p> <p>Integrated real-time web applications [weather, currency, etc.].</p> | € 95.00 | 3 Years |

| | | | |
|---|---|-----------------|----------------|
|  | <p>GXP2140 Enterprise IP Telephone</p> <p>Linux-based device that includes 4 lines, 5 XML programmable soft keys, and 5-way conferencing.</p> <p>480x272 TFT color LCD , Gigabit , PoE ports.</p> <p>Automated provisioning using TR-069 or AES encrypted XML configuration file, TLS/SRTP/HTTPS for advanced security and privacy protection.</p> <p>Integrated real-time web applications [weather, currency, RSS news (pending), etc.]</p> | <p>€ 115.00</p> | <p>3 Years</p> |
|  | <p>GXP2160 Enterprise IP Telephone</p> <p>480x272 TFT color LCD , Gigabit , PoE ports.</p> <p>6 dual-color line keys (with 6 SIP accounts). 5 programmable context-sensitive soft keys. Up to 5-way conferencing and 24 dual-color BLF extension keys.</p> <p>Automated provisioning using TR-069 or AES encrypted XML configuration file. TLS/SRTP/HTTPS for advanced security and privacy protection.</p> <p>Integrated real-time web applications [weather, currency, etc.].</p> | <p>€ 140.00</p> | <p>3 Years</p> |
|  | <p>GXP2135 Enterprise IP Telephone</p> <ul style="list-style-type: none"> • 8 lines, 4 SIP accounts, 4 XML programmable context-sensitive soft keys • Dual switched, auto-sensing Gigabit ports, built-in PoE • 32 digitally programmable and customizable BLF/speed-dial keys • Built-in Bluetooth for syncing headsets and mobile devices for contact books, calendars & call transferring • HD audio on the handset and speakerphone; full duplex speakerphone • Supports EHS compatible Plantronics headsets • 4-way audio conferencing for easy conference calls | <p>€ 95.00</p> | <p>3 Years</p> |
|  | <p>GXP2170 Enterprise IP Telephone</p> <p>12 dual-color line keys (with 6 SIP accounts), 5 XML programmable context-sensitive soft keys.</p> <p>Dual switched auto-sensing 10/100/1000Mbps Gigabit network ports. 48 digitally programmable & customizable BLF/fastdial keys, and supports up to 4 cascaded GXP2200EXT Modules.</p> <p>Built-in Bluetooth for syncing headsets and mobile devices for contact books, calendars & call transferring.</p> <p>HD audio to maximize audio quality and clarity; full duplex speaker phone.</p> <p>Built-in PoE to power the devices and give it a network connection.</p> <p>Supports EHS compatible Plantronics's headsets.</p> <p>5-way audio conferencing for easy conference calls.</p> | <p>€ 175.00</p> | <p>3 Years</p> |
|  | <p>DP715 - VoIP DECT Phone</p> <p>DECT base station registers up to 5 DECT handsets and talks to up to 4 handsets concurrently.</p> <p>Advanced telephony features including Caller ID, Call Waiting, 3-Way Conference, Transfer, Forward, Do Not Disturb, Message Waiting Indication(Stutter Tone), auto talk, multi-language voice prompt, flexible dial plan.</p> <p>Secure and automated provisioning using HTTP/HTTPS/Telnet/TFTP, multiple SIP accounts, SIP over TCP/TLS, SRTP.</p> | <p>€ 79.00</p> | <p>2 Years</p> |

| | | SRP | |
|--|---|-----------------|----------------|
|  | <p>GXP2200EXT Expansion Module GXP2140, GXP2200, and GXV3240 Enterprise IP phones.</p> <p>The module includes 20 extension keys and 2 arrow keys for page switching (allowing for 40 lines to be displayed), with a large LCD screen for easy viewing.</p> <p>Add up to 4 modules for a total of 160 extensions.</p> <p>Large 128x384 graphic LCD providing feature-rich graphics.</p> | <p>€ 115.00</p> | <p>3 Year</p> |
| IP Video Telephony | | SRP | |
|  | <p>GXV3275 IP Multimedia Phone for Android™</p> <p>6 lines with up to 6 SIP accounts including FREE IPVideoTalk account with video mail, up to 6-way audio conference and 3-way video conference, phonebook with up to 1000 contacts, call history with up to 1000 records.</p> <p>Dual switched auto-sensing, 10/100/1000Mbps Gigabit network ports, Wi-Fi (802.11b/g/n), PoE+, Bluetooth, USB, SD, HDMI, EHS with Plantronics headsets support.</p> <p>7" (1024x600) capacitive (5 points) touch screen TFT LCD, mega pixel CMOS sensor camera with privacy shutter.</p> <p>HD wideband audio, full-duplex hands-free speakerphone with advanced acoustic echo cancellation.</p> <p>Runs the Android™ Operating System 4.2 and offers full access to the Google Play Store – which includes thousands of business productivity apps such as Skype, Microsoft Lync, Salesforce1, GoToMeeting.</p> | <p>€ 310.00</p> | <p>3 Years</p> |
|  | <p>GXV3240 Multimedia IP Phone for Android™</p> <p>4.3 inch (480x272) capacitive (5 points) touch screen TFT LCD, mega pixel CMOS sensor camera with privacy shutter.</p> <p>6 lines with up to 6 SIP accounts including FREE IPVideoTalk account with video mail, up to 6-way audio conference and 3-way video conference, phonebook with up to 1000 contacts, call history with up to 1000 records.</p> <p>Integrate with Grandstream's GXV-series of IP video surveillance cameras to view live camera feeds and to receive alerts/alarms from IP cameras installed on the same network.</p> <p>HD wideband audio, full-duplex hands-free speakerphone with advanced acoustic echo cancellation.</p> <p>Offers a multi-platform video conferencing solution (Grandstream's Free IPVideoTalk, Skype, Microsoft Lync, and more).</p> | <p>€ 200.00</p> | <p>3 Years</p> |

| Conferencing | | SRP | |
|---|---|---|----------------|
|  | <p>GVC3200 Full HD Video Conferencing System</p> <p>Advanced Video Support – 1080p Full-HD video, up to 9-way video conferences, support for 3 monitor outputs through 3 HDMI outputs, and a PTZ camera with 12x zoom.</p> <p>Extremely powerful hardware platform includes a sophisticated MCU engine allowing up to 9-way hybrid-protocol conferencing with no external MCUs/servers or extra software licenses; high performance hardware ISP (Image Signal Processing) engine that ensures an industry leading video experience.</p> <p>Features industry leading flexibility as it can communicate with popular third-party SIP video conferencing platforms. It is also based on the Android operating system and therefore can utilize Android apps (for example, Skype and Google Hangouts) for video conferencing.</p> <p>This open standard SIP system can be installed in three simple steps and features a built-in MCU in order to make installation as easy as possible.</p> <p>Plug and Play connection to Grandstream's IPVideoTalk Pro video conferencing service makes setting up and using the GVC3200 easy. Users can also easily share content with other viewers by connecting their laptop or computer to the GVC3200 HDMI or VGA inputs.</p> | <p>€ 3,615.00</p> | <p>3 Year</p> |
|  | <p>GAC2500 Android Enterprise Conference Phone</p> <p>Android 4.4 based with native support for Skype, Lync, Google Hangout, SIP, etc.</p> <p>3x microphones with 3.6m voice pickup range, 1x 8W speaker with 4.5m coverage range.</p> <p>World-class high fidelity sound quality with audio bandwidth of up to 14KHz.</p> <p>Embedded audio conference bridge to host 6-way conference with local mixing.</p> <p>4.3" 480x272 capacitive touch screen color LCD with flexible customization capability.</p> <p>Gigabit network port with PoE, integrated Bluetooth, USB, headset jacks.</p> <p>Support G.711, G729a/B, G.722, G.722.1/G.722.1c, Opus, iLBC voice codec.</p> <p>Support daisy chaining deployment in large conference rooms.</p> | <p>€ 540.00</p> | <p>3 Year</p> |
| Gateways and ATAs | | SRP | |
|  | <p>GXW4216/24/32/48 FXS Analog VoIP Gateway</p> <p>GXW4216/24/32 x RJ11 FXS ports plus & 1/1/2 x 50 pin Telco connectors GXW4248: 2 50 pin Telco connectors.</p> <p>Gigabit Ethernet and a backlit 12.8x3.2 graphic display with support for multiple languages.</p> <p>4 SIP Server profiles per system and independent SIP account per port.</p> | <p>€ 486.19</p> <p>€ 714.34</p> <p>€ 881.12</p> <p>€ 1,227.27</p> | <p>3 Years</p> |
|  | <p>HandyTone 701 (HT701) ATA</p> <p>Single FXS telephone port (supporting 5 REN) single 10/100M Ethernet port.</p> <p>LEDs for Power, Internet, LINK/ACT, and Phone status.</p> <p>Strong security protection of voice/data privacy using TLS/SRTP/HTTPS, secure and automated provisioning using TR069 and HTTP/HTTPS/TFTP.</p> | <p>€ 40.91</p> | <p>2 Year</p> |

| | | | |
|---|--|--------------------------------|---------------|
|  | <p>HandyTone 702/704 (HT702/704) ATA</p> <p>2 FXS port (HT702) or 4 FXS port (HT704), supporting 3 REN and single 10/100M Ethernet port.</p> <p>Advanced telephony features including caller ID, call waiting, 3-way conference, transfer, forward, do not disturb, message waiting indication, multi-language voice prompt, T.38 Fax, flexible dial plan.</p> <p>Strong security protection of voice/data privacy using TLS/SRTP/HTTPS, secure and automated provisioning using TR069 and HTTP/HTTPS/TFTP.</p> | <p>€ 51.92</p> <p>€ 129.02</p> | <p>2 Year</p> |
|  | <p>HandyTone 502 (HT502) ATA</p> <p>2 FXS analog telephone ports (RJ11), dual 10/100 Mbps ports with integrated NAT router.</p> <p>3-way voice conference, transfer, forward, do not disturb, message indicator, multi-language voice prompts, T.38 fax, flexible dial plan and more.</p> <p>Supports up to 2 SIP accounts.</p> <p>Advanced telephony features include caller ID, call waiting.</p> <p>Status LED for power, telephone and network ports, and message waiting indication.</p> | <p>€ 56.64</p> | <p>2 Year</p> |
|  | <p>HandyTone 503 (HT503) ATA</p> <p>1 FXS analog telephone ports (RJ11), 1 PSTN line FXO port, dual 10/100 Mbps ports with integrated NAT router.</p> <p>Advanced telephony features include caller ID, call waiting.</p> <p>3-way voice conference, transfer, forward, do not disturb, message indicator, multi-language voice prompts, T.38 fax, flexible dial plan and more.</p> <p>Supports up to 2 SIP accounts.</p> <p>Status LED for power, telephone and network ports, and message waiting indication.</p> | <p>€ 72.38</p> | <p>2 Year</p> |

| IP PBX | | SRP | |
|---|--|--|-------------|
|  | UCM6100 Series Supports up to 500 SIP endpoint registrations, up to 60 concurrent calls and up to 32 conference attendees. 1GHz ARM Cortex A8 processor. 512 MB DDR Ram, 4GB NAND Flash. Integrated 2/4/8/16 PSTN trunk FXO ports, 2 analog telephone FXS ports with lifeline capability and up to 50 SIP trunk accounts. Gigabit network ports with Integrates PoE, USB, SD card. UCM6102 includes an integrated NAT router and built-in firewall. Comprehensive security protection using SRTP, TLS and HTTPS with hardware encryption accelerator, Fail2ban, Whitelist, Blacklist, alerts and more to protect against attacks. | € 400.00 € 515.00 € 885.00 | 3 Years |
| | UCM6510 Supports up to 2000 SIP endpoint registrations, up to 200 concurrent calls and up to 64 conference attendees. 1GHz quad-core Cortex A9 processor. 1GB DDR3 Ram, 32GB Flash. 1 Integrated T1/E1/J1 interface, 2PSTM trunk FXO ports, 2 analog telephone/Fax FXS ports with lifeline capability, Unlimited SIP trunk accounts. Gigabit network ports with Integrates PoE, USB, SD card, integrated NAT router. Comprehensive security protection using SRTP, TLS and HTTPS with hardware encryption accelerator. Quickly setup and provision Grandstream ednpoints using the Auto-Discovery and Zero Config feature within the product's web user interface. | € 1,450.00 | 3 Years |
| | Network Video Recorders | | |
|  | GVR3550 Network Video Recorder (NVR) Up to 24 channels of 720p HD or 12 channels of 1080p HD audio/video real-time recording. Fully customizable recording rules: time based, event based, manual or automatic. Automatic discovery for IP cameras on the local network. Up to 4 SATA 3.5" internal hard drives with maximum 16TB storage and RAID 0 or RAID 1 configurations. Complete security features including role based access control, event/system logs and hard drive content encryption. | 307.6923077 | 3 Year |
| |  | GVR3552 Network Video Recorder (NVR) Up to 16 channels of 720p or 8 channels of 1080p HD audio/video real-time recording. Fully customizable recording rules; time-based, event based, manual or automatic. Automatic discovery of Grandstream IP Cameras. Up to 2 SATA 2.5" internal hard drives with maximum 4TB storage and RAID 0 or RAID 1 configurations. Complete security features including role based access control, event/system logs and hard drive content encryption. | 261.5384615 |

IP Video Surveillance

| IP Video Surveillance | | | |
|---|--|--|--------|
| | GXV3610_HD v2/GXV3610_FHD v2 Day/Night HD Fixed Dome IP Camera | | |
|  | GXV3610_HD: 1.2 megapixel Progressive Scan CMOS image sensor, 720p resolution, 3.6mm lens. GXV3610_FHD: 3.1 megapixel Progressive Scan CMOS image sensor, 1080p resolution, 3.6mm lens. Advanced multi-streaming rate real-time H.264, Motion JPEG. IP66-certified weatherproof casing. Integrated Power-over-Ethernet (802.3af). Supports Motion Detection and can send notifications when security events occur to IP Video Phones, IP Phones, screenshot to email, and more. | € 146.33 € 176.22 | 2 Year |
| | GXV3611IR_HD Indoor Infrared Fixed Dome HD IP Camera | | |
|  | 1 megapixel Progressive Scan CMOS image sensor, 720p resolution, 2.8mm lens. Advanced multi-streaming rate real-time H.264, Motion JPEG. Integrated Power-over-Ethernet (802.3af). Supports Motion Detection and can send notifications when security events occur to IP Video Phones, IP Phones, screenshot to email, and more. Includes built-in speaker, microphone and SD card slot for local storage. | € 119.58 | 2 Year |
| | Integrate with third party speakers, microphones, intercom systems, sirens, alarms, alarm devices such as door sensors and third party motion sensors, and more. | | |

| | | | |
|---|--|-------------------------------|---------------|
|  | <p>GXV3662_FHD Vandal-Resistant & Weatherproof FHD IP Camera</p> <p>High quality 1.2 Megapixels or 3.1 Megapixels CMOS sensor and lens. Advanced multi-streaming rate real-time H.264, Motion JPEG at 720p resolutions. Alarm input & output, audio input & output. SD slot for local storage, 24MB pre/post event recording buffer. Support Motion Detection and Notification on PC Client. Built-in high performance streaming server to allow 10+ simultaneous viewers. Embedded video analytics and SIP/VoIP support. Support both variable bit rate and variable frame rate. Integrated Power-over-Ethernet (802.3af). Full Onvif conformance with extensions in the near future.</p> | <p>€ 232.87</p> | <p>2 Year</p> |
|  | <p>GXV3672 v2 series Outdoor Day/Night HD IP Camera</p> <p>GXV3672 v2 series includes 4 models: GXV3672_HD, GXV3672_FHD, GXV3672_HD_36, and GXV3672_FHD_36 GXV3672_HD and GXV3672_FHD offer an 8mm lens, which is ideal for distance monitoring. GXV3672_HD_36 and GXV3672_FHD_36 offer a 3.6mm lens, which is ideal for wide-angle, close-proximity monitoring. High quality 1.2 Megapixel and 3.1 Megapixel CMOS sensor and HD lens. Advanced multi-streaming rate real-time H.264, Motion JPEG at 720p and 1080p resolutions at full frame rate. Supports Motion Detection and can send notifications when security events occur to IP Video Phones, IP Phones, screenshot to email, etc. Smart IR functionality to maximize white balance/exposure and the ability to turn the IR LEDs on/off using the product's web user interface. Wide Dynamic Range (WDR) supported by GXV3672_FHD.</p> | <p>€ 146.33 € 176.22</p> | <p>2 Year</p> |
|  | <p>GXV3674 v2 series Outdoor Day/Night IP Camera</p> <p>GXV3674_HD_VF: 1.2 megapixel Progressive Scan CMOS image sensor, 720p resolution. GXV3674_FHD_VF: 3.1 megapixel Progressive Scan CMOS image sensor, 1080p resolution. High quality 1.2 Megapixel CMOS sensor and vari-focal HD lens with DC-IRIS, convenient to zoom or focus without opening the case. Supports Motion Detection and can send notifications when security events occur to IP Video Phones, IP Phones, screenshot to email, etc. Smart IR functionality to maximize white balance/exposure and the ability to turn the IR LEDs on/off using the product's web user interface. Wide Dynamic Range (WDR) supported by GXV3674_FHD.</p> | <p>€ 176.22 € 213.99</p> | <p>2 Year</p> |